

LED

lighting facts[®]


A Program of the U.S. DOE

Light Output (Lumens)	346
Watts	5.9
Lumens per Watt (Efficacy)	59

Color Accuracy	81
Color Rendering Index (CRI)	

Light Color

Correlated Color Temperature (CCT)

3000 (Bright White)

All results are according to IESNA LM-79-2008: *Approved Method for the Electrical and Photometric Testing of Solid-State Lighting*. The U.S. Department of Energy (DOE) verifies product test data and results.

Visit www.lightingfacts.com for the *Label Reference Guide*.

Registration Number: KCB2-YTZEBA (8/10/2012)

Model Number: NV/MR16/6.1/WW/NFL/53/CG; tested at 12V DC

Type: Replacement Lamp - Directional (MR16)

LED


lighting facts[®]


A Program of the U.S. DOE

Light Output (Lumens)	309
Watts	5.7
Lumens per Watt (Efficacy)	54

Color Accuracy	82
Color Rendering Index (CRI)	

Light Color

Correlated Color Temperature (CCT)

3000 (Bright White)

All results are according to IESNA LM-79-2008: *Approved Method for the Electrical and Photometric Testing of Solid-State Lighting*. The U.S. Department of Energy (DOE) verifies product test data and results.

Visit www.lightingfacts.com for the *Label Reference Guide*.

Registration Number: KCB2-2AEAME (8/10/2012)

Model Number: NV/MR16/6.1/WW/VWFL/53/CG; tested at 12V DC

Type: Replacement Lamp - Directional (MR16)

LED

lighting facts[®]


A Program of the U.S. DOE

Light Output (Lumens)	380
Watts	5.8
Lumens per Watt (Efficacy)	66

Color Accuracy	81
Color Rendering Index (CRI)	

Light Color

Correlated Color Temperature (CCT)

3000 (Bright White)

All results are according to IESNA LM-79-2008: *Approved Method for the Electrical and Photometric Testing of Solid-State Lighting*. The U.S. Department of Energy (DOE) verifies product test data and results.

Visit www.lightingfacts.com for the *Label Reference Guide*.

Registration Number: KCB2-KMVT4Z (8/10/2012)

Model Number: NV/MR16/6.1/WW/WFL/53/CG; tested at 12V DC

Type: Replacement Lamp - Directional (MR16)

LED


lighting facts[®]


A Program of the U.S. DOE

Light Output (Lumens)	361
Watts	5.7
Lumens per Watt (Efficacy)	63

Color Accuracy	81
Color Rendering Index (CRI)	

Light Color

Correlated Color Temperature (CCT)

3000 (Bright White)

All results are according to IESNA LM-79-2008: *Approved Method for the Electrical and Photometric Testing of Solid-State Lighting*. The U.S. Department of Energy (DOE) verifies product test data and results.

Visit www.lightingfacts.com for the *Label Reference Guide*.

Registration Number: KCB2-AQNAYX (8/9/2012)

Model Number: NV/MR16/6.1/WW/FL/53/CG (tested at 12V DC)

Type: Replacement Lamp - Directional (MR16)